

East Riding of Yorkshire

This profile gives a picture of health in this area. It is designed to help local government and health services understand their community's needs, so that they can work to improve people's health and reduce health inequalities.

Visit the Health Profiles website for:

- Profiles of all local authorities in England
- Interactive maps – see how health varies between areas
- More health indicator information
- Links to more community health profiles and tools

Health Profiles are produced by the English Public Health Observatories working in partnership.

www.healthprofiles.info



© Crown Copyright and database rights 2012, Ordnance Survey 100020290
Other map data © Collins Bartholomew.

Population 339,000

Mid-2010 population estimate

Source: National Statistics website: www.statistics.gov.uk



East Riding of Yorkshire at a glance

- The health of people in East Riding of Yorkshire is mixed compared with the England average. Deprivation is lower than average, however about 7,400 children live in poverty. Life expectancy for both men and women is higher than the England average.
- Life expectancy is 6.8 years lower for men and 4.1 years lower for women in the most deprived areas of East Riding of Yorkshire than in the least deprived areas.
- Over the last 10 years, all cause mortality rates have fallen. Early death rates from cancer and from heart disease and stroke have fallen and are better than the England average.
- About 17.7% of Year 6 children are classified as obese, lower than the average for England. Levels of GCSE attainment, breast feeding initiation and smoking in pregnancy are worse than the England average. Levels of teenage pregnancy and alcohol-specific hospital stays among those under 18 are better than the England average.
- The estimated level of adult obesity is worse than the England average. The estimated level of physical activity and the rate of sexually transmitted infections are better than the England average.
- Priorities in East Riding of Yorkshire include reducing the health inequalities gap and good health and well-being, particularly in children and into old age. For more information see www.eastridingofyorkshire.nhs.uk and www.lsp.eastriding.gov.uk



Health inequalities: changes over time


These graphs show how changes in death rates for this area compare with changes for the whole of England. Data points on the graph are mid-points of 3-year averages of yearly rates. For example the dot labelled 2003 represents the 3-year period 2002 to 2004.

Trend 1 compares rates of death, at all ages and from all causes, in this area with those for England.


Trend 2 compares rates of early death from heart disease and stroke (in people under 75) in this area with those for England.

Trend 3 compares rates of early death from cancer (in people under 75) in this area with those for England.


Trend 1: All age, all cause mortality




Trend 2: Early death rates from heart disease and stroke



Trend 3: Early death rates from cancer



Health inequalities: ethnicity




This chart shows the percentage of hospital admissions in 2010/11 that were emergencies for each ethnic group in this area. A high percentage of emergency admissions may reflect some patients not accessing or receiving the care most suited to managing their conditions. By comparing the percentage in each ethnic group in this area with that of the whole population of England (represented by the horizontal line) possible inequalities can be identified.

■ East Riding of Yorkshire
— England average (all ethnic groups)
| 95% confidence intervals

Figures based on small numbers of admissions have been suppressed to avoid any potential disclosure of information about individuals.

The chart below shows how the health of people in this area compares with the rest of England. This area's result for each indicator is shown as a circle. The average rate for England is shown by the black line, which is always at the centre of the chart. The range of results for all local areas in England is shown as a grey bar. A red circle means that this area is significantly worse than England for that indicator; however, a green circle may still indicate an important public health problem.

- Significantly worse than England average
- Not significantly different from England average
- Significantly better than England average



Domain	Indicator	Local No. Per Year	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Our communities	1 Deprivation	27409	8.2	19.8	83.0	[Grey bar, red circle]	0.0
	2 Proportion of children in poverty ‡	7395	13.3	21.9	50.9	[Grey bar, red circle]	6.4
	3 Statutory homelessness ‡	469	3.3	2.0	10.4	[Grey bar, red circle]	0.0
	4 GCSE achieved (5A*-C inc. Eng & Maths)	2310	53.5	58.4	40.1	[Grey bar, green circle]	79.9
	5 Violent crime	3820	11.3	14.8	35.1	[Grey bar, green circle]	4.5
	6 Long term unemployment	1063	5.0	5.7	18.8	[Grey bar, green circle]	0.9
Children's and young people's health	7 Smoking in pregnancy ‡	423	15.2	13.7	32.7	[Grey bar, red circle]	3.1
	8 Breast feeding initiation ‡	1983	70.7	74.5	39.0	[Grey bar, red circle]	94.7
	9 Obese Children (Year 6) ‡	584	17.7	19.0	26.5	[Grey bar, green circle]	9.8
	10 Alcohol-specific hospital stays (under 18)	32	48.9	61.8	154.9	[Grey bar, green circle]	12.5
	11 Teenage pregnancy (under 18) ‡	201	32.7	38.1	64.9	[Grey bar, green circle]	11.1
Adults' health and lifestyle	12 Adults smoking ‡	n/a	17.8	20.7	33.5	[Grey bar, green circle]	8.9
	13 Increasing and higher risk drinking	n/a	23.5	22.3	25.1	[Grey bar, yellow circle]	15.7
	14 Healthy eating adults	n/a	27.1	28.7	19.3	[Grey bar, yellow circle]	47.8
	15 Physically active adults ‡	n/a	14.5	11.2	5.7	[Grey bar, green circle]	18.2
	16 Obese adults ‡	n/a	25.9	24.2	30.7	[Grey bar, red circle]	13.9
Disease and poor health	17 Incidence of malignant melanoma	53	14.4	13.6	26.8	[Grey bar, yellow circle]	2.7
	18 Hospital stays for self-harm ‡	608	203.4	212.0	509.8	[Grey bar, yellow circle]	49.6
	19 Hospital stays for alcohol related harm ‡	7659	1638	1895	3276	[Grey bar, green circle]	910
	20 Drug misuse	1165	5.4	8.9	30.2	[Grey bar, green circle]	1.3
	21 People diagnosed with diabetes ‡	15472	6.0	5.5	8.1	[Grey bar, red circle]	3.3
	22 New cases of tuberculosis	7	2.1	15.3	124.4	[Grey bar, green circle]	0.0
	23 Acute sexually transmitted infections	1568	463	775	2276	[Grey bar, green circle]	152
	24 Hip fracture in 65s and over ‡	414	456	452	655	[Grey bar, yellow circle]	324
Life expectancy and causes of death	25 Excess winter deaths ‡	207	18.8	18.7	35.0	[Grey bar, yellow circle]	4.4
	26 Life expectancy – male	n/a	79.2	78.6	73.6	[Grey bar, green circle]	85.1
	27 Life expectancy – female	n/a	82.9	82.6	79.1	[Grey bar, green circle]	89.8
	28 Infant deaths ‡	12	4.0	4.6	9.3	[Grey bar, yellow circle]	1.2
	29 Smoking related deaths	623	195	211	372	[Grey bar, green circle]	125
	30 Early deaths: heart disease and stroke ‡	279	60.1	67.3	123.2	[Grey bar, green circle]	35.5
	31 Early deaths: cancer ‡	468	102.9	110.1	159.1	[Grey bar, green circle]	77.9
	32 Road injuries and deaths ‡	211	62.5	44.3	128.8	[Grey bar, red circle]	14.1

‡ Substantially similar to indicator proposed in the Public Health Outcomes Framework published January 2012

Indicator Notes

1 % people in this area living in 20% most deprived areas in England, 2010 2 % children (under 16) in families receiving means-tested benefits & low income, 2009 3 Crude rate per 1,000 households, 2010/11 4 % at Key Stage 4, 2010/11 5 Recorded violence against the person crimes, crude rate per 1,000 population, 2010/11 6 Crude rate per 1,000 population aged 16-64, 2011 7 % mothers smoking in pregnancy where status is known, 2010/11 8 % mothers initiating breast feeding where status is known, 2010/11 9 % school children in Year 6 (age 10-11), 2010/11 10 Persons under 18 admitted to hospital due to alcohol-specific conditions, crude rate per 100,000 population, 2007/08 to 2009/10 (pooled) 11 Under-18 conception rate per 1,000 females aged 15-17 (crude rate) 2008-2010 12 % adults aged 18 and over, 2010/11 13 % aged 16+ in the resident population, 2008/2009 14 % adults, modelled estimate using Health Survey for England 2006-2008 15 % aged 16 and over, Oct 2009-Oct 2011 16 % adults, modelled estimate using Health Survey for England 2006-2008 17 Directly age standardised rate per 100,000 population, aged under 75, 2006-2008 18 Directly age sex standardised rate per 100,000 population, 2010/11 19 Directly age sex standardised rate per 100,000 population, 2010/11 20 Estimated users of opiate and/or crack cocaine aged 15-64, crude rate per 1,000 population, 2009/10 21 % people on GP registers with a recorded diagnosis of diabetes 2010/11 22 Crude rate per 100,000 population, 2008-2010 23 Crude rate per 100,000 population, 2010 (chlamydia screening coverage may influence rate) 24 Directly age and sex standardised rate for emergency admissions, per 100,000 population aged 65 and over, 2010/11 25 Ratio of excess winter deaths (observed winter deaths minus expected deaths based on non-winter deaths) to average non-winter deaths 1.08.07.31.07.10 26 At birth, 2008-2010 27 At birth, 2008-2010 28 Rate per 1,000 live births, 2008-2010 29 Directly age standardised rate per 100,000 population aged 35 and over, 2008-2010 30 Directly age standardised rate per 100,000 population aged under 75, 2008-2010 31 Directly age standardised rate per 100,000 population aged under 75, 2008-2010 32 Rate per 100,000 population, 2008-2010

More information is available at www.healthprofiles.info Please send any enquiries to healthprofiles@sepho.nhs.uk

© Crown copyright, 2012. You may re-use this information (not including logos) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence, visit www.nationalarchives.gov.uk/doc/open-government-licence